

COMPLETE 4WD SYSTEM INCORPORATING

- Full time High and Low range selection
- Electronic Transfer Case with OEM style dash mount-switch operation
- Electronic centre diff lock with OEM style dash mount-switch operation
- EnduroCo Independent front-end suspension consisting of
- New heavy-duty steering knuckles & lower control arms
- New uprated heavy-duty Pedders coil springs
- New EnduroCo designed engine cradle
- Modified rear-end suspension incorporating
- New uprated heavy-duty Pedders rear shock absorbers
- New uprated heavy-duty Pedders rear leaf springs
- Upgraded 17" black steel wheels with all terrain tyres
- Underbody protection
- EnduroCo mudflap set
- EnduroCo wheel arch flares
- GVM increase to 4200KG on both SLWB & Com-muter models
- Increase of 150mm of lift
- Complete engineering and compliance



RE-DESIGNED FRONT SUSPENSION

4X4 CONVERSION KIT TO BE SUPPLIED & INSTALLED BY



4WD SYSTEM INCORPORATING

- Electronic Select Transfer assembly
- Independent front axle with Toyota© heavy duty differential
- Constant Engagement Drive Flanges




- Heavy duty coil springs and upgraded shock absorbers
- Front under body protection
- 4-way breather under bonnet (differentials, transfer case etc)
- Side Passenger manual entry step
- Full Engineering Compliance on conversion
Raised GVW to 4200KG
- 2WD / 4WD dash mount and sun visor labels and operating instructions
- Tyre and speed rating placard.



+971 (0) 4 884 4860/61



sales@abronn.com



EXPLODED VIEW 4X4 OF ENDUROCO HIACE CONVERSION

ALL TERRAIN WHEEL



WHEEL ARCH

AUTOMATIC SLIDING STEP

Type : Electric

Description : The Platform surface is Aluminium board with the function of Anti-Skid

Voltage : 12V-24V

Loading Capacity : 250 kg

Extending Time : 1-2 s

Stowing Time : 1-2 s



PUDDLE LIGHT



► ELECTRICAL WINCH

Type : Electric Vehicle Recovery Winch

Voltage : 12V DC

Control : Albright Contactor

Line : Synthetic, 3/8 Inch Diameter, 90 Ft Length

Remote : 2-in-1 Plug-in with Wireless Capability

Mounting : Vehicle Mount, Hardware Included

Max Line Pull/Speed : 10,000 pounds / 5.2 ft per min



GRILL LED LIGHT

HEAVY DUTY FRONT BUMPER



► CONTROL TOUCH PANEL

1 MAIN SWITCH - POWER ON/OFF

2 INNER CABINET LED LIGHT

3 OUTER CABINET LED LIGHT

4 REAR 3 - LED ROOF LIGHT

5 FRONT 3 - LED ROOF LIGHT

6 CONTROL FOR ALL ROOF LIGHT

7 VENTILATION FAN
- Green : Exhaust Mechanism
- Blue : Blowing Mechanism

8 INVERTER

9 VEHICLE TEMPERATURE MONITORING

10 VEHICLE BATTERY MONITORING

11 OPTIONAL (AC FAN)


12 OPTIONAL (AC COOLING)

13 OPTIONAL (HEATER)

14 OPTIONAL (OXYGEN MONITORING)




YELLOW BATTERY INDICATOR



EXTERNAL CHARGER

ELECTROMAGNETIC SELF-EJECTION SHORELINE




AUXILIARY BATTERY



▶ SMARTSOLAR CHARGE CONTROLLER

▶ SOLAR POWER SYSTEM



Example of a VE Smart Network of a Smart Battery Sense and a solar charger.



Victron SmartSolar MPPT 250/85 Tr Solar Charge Controller 250V 85A with Bluetooth



REMOTE



▶ AUTOMATIC AWNING UMBRELLA